



PRODUCT CATALOG

Automir S.R.O.



tel: +421 908 559 130

e-mail: sroautomir@gmail.com



6.95-16
VLI-5

2



12.00R18
UTP21

3



7.50-20
UTP-173

4



16/70-20
UTP-50

5



1200-500-508
ID-P 284

6



1100x400-533
O-47AM

7



1220-400-533
IP-184

8



15.00-21
MP-913

9



1300-530-533
VI-3

10



525/70R21
STP-66

11 12



1350-550-533R
ID-370

13 14



18.00-25
VF-76B

15



21.00-33
VF-166A

16



5.00-10
DT-48

17



6L-12
ST-421

18



500/50R17
UTP-77

19



16.5/70-18
KF-97

20



9.00-20
UTP-223

21



21.3R24
UTP-14

22



28.1-25
DF-16A

23



23.1R26
F-37

24



9.5R32/42
F-268/289

25



30.5LR32
DN-101

26



15.5R38
D-2A

27



9.5R44/48
DE-16/17

28



Truck tyres



Off-road career tyres



Agricultural tyres

175/80-16 (6.95-16)

Model: VLI-5

*All-season
light truck tyre*

Load index/Speed index	85P
Thread pattern type	All-season
Section width, not more than, mm	178
Overall diameter, mm	692
Speed limit, km/h	150
Loading limit, kg	515
Pressure corresponding the max loading, kPa	210



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

12.00R18 (320R457)

Model: UTP21

*Special
adjustable pressure tyre
for off-road trucks*

Load index/Speed index	135K
Thread pattern type	Off-road
Section width, not more than, mm	337
Overall diameter, mm	1084
Speed limit, km/h	110
Loading limit, kg	2180
Pressure corresponding the max loading, kPa	490



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

7.50-20 (220-508)

Model: UTP-173

*Universal pattern tyre
for trucks and trailers*

Ply rating	8
Load index/Speed index	119/116J
Thread pattern type	Universal
Section width, not more than, mm	213
Overall diameter, mm	928
Speed limit, km/h	100
Loading limit, kg (single/dual)	1360/1250
Pressure corresponding the max loading, kPa	440



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

16/70-20

Model: UTP-50

*Tyre for trucks, trailers,
agricultural and special
equipment*

Ply rating	14
Load index/Speed index	154F
Thread pattern type	Universal
Section width, not more than, mm	410
Overall diameter, mm	1090
Speed limit, km/h	80
Loading limit, kg (single/dual)	3075
Pressure corresponding the max loading, kPa	500



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

1200x500-508 (500/70-20)

Model: ID-P 284

*Adjustable pressure
off-road truck tyre*

Ply rating	16
Load index/Speed index	156F
Thread pattern type	Off-road
Section width, not more than, mm	475
Overall diameter, mm	1185
Speed limit, km/h	80
Loading limit, kg	4000
Pressure corresponding the max loading, kPa	520



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

1100x400-533 (400/70-21)

Model: O-47AM

*Adjustable pressure
off-road truck tyre*

Ply rating	12
Load index/Speed index	145G
Thread pattern type	Universal
Section width, not more than, mm	410
Overall diameter, mm	1120
Speed limit, km/h	90
Loading limit, kg	2900
Pressure corresponding the max loading, kPa	360



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

1220x400-533 (400/85-21)

Model: IP-184

*Adjustable pressure
off-road truck tyre*

Ply rating	10
Load index/Speed index	142G
Thread pattern type	Off-road
Section width, not more than, mm	418
Overall diameter, mm	1200
Speed limit, km/h	90
Loading limit, kg	2650
Pressure corresponding the max loading, kPa	340



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

15.00-21 (425/90-21)

Model: MP-913

*Special
adjustable pressure tyre
for off-road and military
trucks*

Ply rating	12
Load index/Speed index	161J
Thread pattern type	Off-road
Section width, not more than, mm	430
Overall diameter, mm	1308
Speed limit, km/h	100
Loading limit, kg	4625
Pressure corresponding the max loading, kPa	600



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

1300x530-533 (530/70-21)

Model: VI-3

*Adjustable pressure
off-road truck tyre*

Ply rating	12
Load index/Speed index	156F
Thread pattern type	Off-road
Section width, not more than, mm	525
Overall diameter, mm	1280
Speed limit, km/h	80
Loading limit, kg	4000
Pressure corresponding the max loading, kPa	390



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

NEW

525/70R21

Model: STP-66

*Special
adjustable pressure tyre
for off-road and military
trucks*

Load index	160/162/164
Speed index	J/G/F
Thread pattern type	Off-road
Section width, not more than, mm	525
Overall diameter, mm	1285
Speed limit, km/h	100/90/80
Loading limit, kg	4500/4750/5000
Pressure corresponding the max loading, kPa	500/570/600

**Automir s.r.o.**

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

NEW

525/70R21

Model: STP-66

*Special
adjustable pressure tyre
for off-road and military
trucks*

Load index/Speed index	172D
Thread pattern type	Off-road
Section width, not more than, mm	525
Overall diameter, mm	1285
Speed limit, km/h	65
Loading limit, kg	6300
Pressure corresponding the max loading, kPa	650

REINFORCED



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

1350x550-533R (550/75R21)

Model: ID-370

*Adjustable pressure
off-road truck tyre*

Load index	160/162/164
Speed index	G/F/E
Thread pattern type	Off-road
Section width, not more than, mm	550
Overall diameter, mm	1350
Speed limit, km/h	90/80/70
Loading limit, kg	4500/4750/5000
Pressure corresponding the max loading, kPa	540/560/590



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

1350x550-533R (550/75R21)

Model: ID-370

*Adjustable pressure
off-road truck tyre*

Load index/Speed index	172D
Thread pattern type	Off-road
Section width, not more than, mm	550
Overall diameter, mm	1350
Speed limit, km/h	65
Loading limit, kg	6300
Pressure corresponding the max loading, kPa	785

REINFORCED



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

18.00-25

Model: VF-76B

*Off-road
mining truck tyre*

Ply rating	32
Load index/Speed index	183B
Thread pattern type	E-3 (career)
Section width, not more than, mm	498
Overall diameter, mm	1615
Speed limit, km/h	50
Loading limit, kg	8750
Pressure corresponding the max loading, kPa	575



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

21.00-33

Model: VF-166A

*Off-road
mining truck tyre*

Ply rating	32
Load index/Speed index	195B
Thread pattern type	E-3 (career)
Section width, not more than, mm	571
Overall diameter, mm	1940
Speed limit, km/h	50
Loading limit, kg	12150
Pressure corresponding the max loading, kPa	575



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

5.00-10

Model: DT-48

*Agricultural tyre
for additional equipment
and small tractors*

Load index/Speed index	70A6
Thread pattern type	Universal
Section width, not more than, mm	145
Overall diameter, mm	505
Speed limit, km/h	30
Loading limit, kg	335
Pressure corresponding the max loading, kPa	300



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

6L-12

Model: ST-421

*All-season agricultural tyre
for mini tractors and
walk-behind tractors*

Load index/Speed index	44A6
Thread pattern type	Off-road
Section width, not more than, mm	155
Overall diameter, mm	570
Speed limit, km/h	30
Loading limit, kg	160
Pressure corresponding the max loading, kPa	100



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

500/50R17

Model: UTP-77

*Low-profile universal tyre
for carrying wheels of various
agricultural trailed technics*

Ply rating	14
Load index/Speed index	149A8
Thread pattern type	Universal
Section width, not more than, mm	503
Overall diameter, mm	932
Speed limit, km/h	40
Loading limit, kg	3250
Pressure corresponding the max loading, kPa	350



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

16.5/70-18

Model: KF-97

*All-season tyre for various
trailed and self-propelled
agricultural machines*

Ply rating	10
Load index/Speed index	153A6
Thread pattern type	Universal
Section width, not more than, mm	425
Overall diameter, mm	1065
Speed limit, km/h	30
Loading limit, kg	3650
Pressure corresponding the max loading, kPa	410



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

9.00-20 (240-508)

Model: UTP-223

Tyre for tractors' steering wheels and agricultural machines' carrying wheels

Ply rating	6
Load index/Speed index	112A6
Thread pattern type	Universal
Section width, not more than, mm	234
Overall diameter, mm	930
Speed limit, km/h	30
Loading limit, kg	1120
Pressure corresponding the max loading, kPa	260



Automir s.r.o.

Tyres are manufactured under our own brand.

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

21.3R24 (530R610)

Model: UTP-14

*Tyre for driving wheels
of tractors and agricultural
machines*

Ply rating	10/12
Load index/Speed index	140A6/150B
Thread pattern type	Off-road
Section width, not more than, mm	540
Overall diameter, mm	1400
Speed limit, km/h	30/50
Loading limit, kg	2500/3350
Pressure corresponding the max loading, kPa	160/240



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

28.1-25 (720-635)

Model: DF-16A

*All-season agricultural tyre
for tractors' driving wheels*

Ply rating	22
Load index/Speed index	185B
Thread pattern type	Off-road
Section width, not more than, mm	710
Overall diameter, mm	1730
Speed limit, km/h	50
Loading limit, kg	9250
Pressure corresponding the max loading, kPa	360



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

23.1R26

Model: F-37

*Radial tyre for driving
wheels of tractors
and combines*

Ply rating	10/12
Load index/Speed index	148A8/153A8
Section width, not more than, mm	587
Overall diameter, mm	1605
Speed limit, km/h	40
Loading limit, kg	3150/3650
Pressure corresponding the max loading, kPa	120/160



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

9.5R32/42

Model: F-268/289

*Low-profile all-season
tyre for agricultural
machinery*

Size	9.5R32	9.5R42
Model	F-268	F-289
Load index/Speed index	112A8	118A6
Thread pattern type	Off-road	
Section width, not more than, mm	241	
Overall diameter, mm	1245	1500
Speed limit, km/h	40	30
Loading limit, kg	1120	1320
Pressure corresponding the max loading, kPa	160	240



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

30.5LR32

Model: DN-101

*Low-profile agricultural tyre
for combines' driving wheel*

Load index/Speed index	167A8
Thread pattern type	Off-road
Section width, not more than, mm	775
Overall diameter, mm	1820
Speed limit, km/h	40
Loading limit, kg	5450
Pressure corresponding the max loading, kPa	160



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

15.5R38

Model: D2A

*Radial tire for driving wheels
of tractors and other agricultural
machines*

Load index/Speed index	134A8
Thread pattern type	Off-road
Section width, not more than, mm	394
Overall diameter, mm	1570
Speed limit, km/h	40
Loading limit, kg	2120
Pressure corresponding the max loading, kPa	160



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com

9.5R44/48

Model: DE-16/17

*Low-profile all-season tyre
for agricultural machinery*

Size	9.5R44	9.5R48
Model	DE-16	DE-17
Load index/Speed index	127A8	129A8
Thread pattern type	Off-road	
Section width, not more than, mm	241	
Overall diameter, mm	1550	1650
Speed limit, km/h	40	40
Loading limit, kg	1750	1850
Pressure corresponding the max loading, kPa	330	320



Automir s.r.o.

*Tyres are manufactured
under our own brand.*

☎ +421 907 024 866

@ sroautomir@gmail.com

🌐 www.tyres-automir.com